



Size matters.

SM@RTCORE® fibre cables make room for more.



A brand of the

Prysmian
Group

SM@RTCORE® fibre cables make room for more.

Our size-reduced, SM@RTCORE® range of fibre optic loose tube cables saves you space, time and money. It's easier to install and you can increase the number of fibres in a duct, lower the number of ducts needed or extend the life of existing ducts. Plus, the strong, still smooth, polyethylene/nylon sheath protects against termites and reduces friction. Australian made? Yes, of course.

SM@RTCORE®

Application

Prysmian's SM@RTCORE® range of Fibre Optic Loose Tube Cables are a significant advancement in the technology of Loose Tube Cable manufacture. Using state of the art manufacturing technology and control, we have engineered down the size of our cables to levels well below tradition cable design. This reduction in size offers many benefits for both installers and network owners.

Room for more

Reduced diameter, smaller cable cross-section, high fibre density.

Increased duct utilisation

Enables increased duct utilisation compared with conventional loose tube cable.

Longer lengths

Longer lengths on any given drum, lowering installation costs by maximising run lengths, minimising jointing and reducing network power loss.

Composite outer sheath

Manufactured with a composite outer sheath comprising of a polyethylene layer with a bonded outer Nylon jacket.

Termite attack protection

Outer Nylon jacket provides protection against termite attack and reduced friction between the cable and duct during hauling, allowing longer lengths to be installed at a given tension.

Non-wrinkling nylon

The bonded sheath technology enables a thinner Nylon jacket. This keeps the cable small, light-weight and flexible and prevents the Nylon wrinkling when the cable is bent thus preserving the termite protection.

Dry water blocking

Internal dry water blocking technology to prevent water migration in the event of a breach in the sheath.

Air-blown installation

Bonding the Nylon jacket also prevents water or air from passing between the two sheath materials. This avoids the need to remove the jacket before terminating and sealing the cable and means the cable can be installed using air blown technology.

Fibre counts


Available in fibre counts from 2 to 624.

A trusted solution


The loose tube cable of choice for many Telco's and contractors in Australia.

Duct fill comparison

50 mm conduit with 50% occupancy.



7 by 144F SM@RTCORE
Loose Tube Cables



4 by 144F Conventional
Loose Tube Cables



All sizes and values without tolerances are reference values. Specifications are for product as supplied by Prysmian Group; any modification or alteration afterwards of product may give different result. The information contained within this document must not be copied, reprinted or reproduced in any form, either wholly or in part, without the written consent of Prysmian Group. The information is believed to be correct at the time of issue. Prysmian Group reserves the right to amend this specification without prior notice. This specification is not contractually valid unless specifically authorised by Prysmian Group.

