

Certificate Number: ESV170405/00



Creating a
safer state with
electricity and gas

Certificate of Approval

This is to certify that the Director of Energy Safety has approved the electrical equipment described hereunder.

Registered Declarant: Prysmian Australia Pty Ltd
1 Heathcote Road, Liverpool, NSW 2170

Required Marking: ESV170405

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Energy Safe Victoria prior to the equipment being supplied or offered for supply.

Notification must be given to Energy Safe Victoria of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

Electrical Equipment:	Level 3 Building wiring cable Building wiring cable
Relevant Standards:	AS/NZS 5000.2:2006
Expiry Date:	21 August 2022
Conditions of Approval:	

A handwritten signature in black ink, appearing to read "A. J. Flewson".


Approval details

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 4CX 6MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200052 450/750V V-90 4CX 6MM2 + E 2.5 MM2 CU CIRC OR

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 2C X1.5 MM2 +E 1.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200000 450/750V V-90 2C X1.5 MM2 +E 1.5 MM2 CU CIRC BK

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 2C X 1.5 MM2 + E 1.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20199998 450/750V V-90 2C X 1.5 MM2 + E 1.5 MM2 CU CIRC OR

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 3C X 1.5 MM2 + E 1.5 MM2 CU
Rated at	Input: 450/750V, 450/750V



Certificate Number: ESV170405/00



Creating a
safer state with
electricity and gas

	Output: 450/750V
Trade Name	Prysmian
Comments	20200036 450/750V V-90 3C X 1.5 MM2 + E 1.5 MM2 CU CIRC BK

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 3C X 1.5 MM2 + E 1.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200033 450/750V V-90 3C X 1.5 MM2 + E 1.5 MM2 CU CIRC OR

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 4C X 1.5 MM2 + E 1.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200047 450/750V V-90 4C X 1.5 MM2 + E 1.5 MM2 CU CIRC OR

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 2C X 2.5 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200007 450/750V V-90 2C X 2.5 MM2 + E 2.5 MM2 CU CIRC BK

Model	PRYSMIAN L ELECTRIC CABLE
-------	---------------------------

	450/750V V-90 450/750V V-90 2C X 2.5 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prismian
Comments	20200002 450/750V V-90 2C X 2.5 MM2 + E 2.5 MM2 CU CIRC OR

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 3C X 2.5 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prismian
Comments	20200041 450/750V V-90 3C X 2.5 MM2 + E 2.5 MM2 CU CIRC BK

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 3C X 2.5 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prismian
Comments	20200039 450/750V V-90 3C X 2.5 MM2 + E 2.5 MM2 CU CIRC OR

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 4C X 2.5 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prismian
Comments	20200048 450/750V V-90 4C X 2.5 MM2 + E 2.5 MM2 CU CIRC OR




Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 2C X 4 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200017 450/750V V-90 2C X 4 MM2 + E 2.5 MM2 CU CIRC BK

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 2C X 4 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200013 450/750V V-90 2C X 4 MM2 + E 2.5 MM2 CU CIRC OR

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 3C X 4 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200044 450/750V V-90 3C X 4 MM2 + E 2.5 MM2 CU CIRC BK

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 3C X 4 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200042 450/750V V-90 3C X 4 MM2 + E 2.5 MM2 CU CIRC OR



Certificate Number: ESV170405/00



Creating a
safer state with
electricity and gas

--	--

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 4C X 4 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200051 450/750V V-90 4C X 4 MM2 + E 2.5 MM2 CU CIRC BK

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 4C X 4 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200050 450/750V V-90 4C X 4 MM2 + E 2.5 MM2 CU CIRC OR

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 3C X 2.5 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200041 450/750V V-90 3C X 2.5 MM2 + E 2.5 MM2 CU CIRC BK

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 2C X 6 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian

Comments	20200021 450/750V V-90 2C X 6 MM2 + E 2.5 MM2 CU CIRC OR
----------	--

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 3C X 6 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200045 450/750V V-90 3C X 6 MM2 + E 2.5 MM2 CU CIRC OR

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 4C X 6 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200053 450/750V V-90 4C X 6 MM2 + E 2.5 MM2 CU CIRC BK

Model	PRYSMIAN L ELECTRIC CABLE 450/750V V-90 450/750V V-90 4C X 6 MM2 + E 2.5 MM2 CU
Rated at	Input: 450/750V, 450/750V Output: 450/750V
Trade Name	Prysmian
Comments	20200052 450/750V V-90 4C X 6 MM2 + E 2.5 MM2 CU CIRC OR

